



## [Jun-2016-NEW210-060 Questions and Answers Free Download in Braindump2go[NQ1-NQ10


2016 Jun Cisco Official - CCNA Collaboration 210-060 CICD:Implementing Cisco Collaboration Devices Exam Questions New Released by Braindump2go Today! NEW QUESTION 1 - NEW QUESTION 10: 1. | 2016 Latest Cisco 210-060 PDF & VCE 165q Dumps Instant Download:http://www.braindump2go.com/210-060.html2. | 2016 New Cisco 210-060 Exam Questions PDF - Google Drive:https://drive.google.com/folderview?id=0B272WrTALRHcc1RfNTZsVU5ZX2c&usp=sharing QUESTION 11Use the exhibits below to answer the question.A new phone has been added to the Cisco Unified Communications Manager, but is not registering properly. What is causing this failure?



A. Device Pool cannot be defaultB. phone1\_css is the incorrect calling search space2C. 9971 Phones do not support SIP. The location Hub\_None has not been activatedE. MAC address is incorrect Answer: EEExplanation:The host name is a unique, fixed name that is automatically assigned to the phone based on its MAC address. However, here we see that the configured MAC address is 8478ACF71D1F, but the host name shown on the 9971 Phone Information diagram shows the host name as 8478ACE71D1F. QUESTION 12Use the exhibits below to answer the question.What two issues could be causing the Cisco Jabber failure shown in the exhibit? (Choose two)



A. Incorrect username and password  
B. IM & Presence server is down  
C. User is not associated with the device  
D. IP or DNS name resolution issue  
E. CSF Device is not registered  
F. IP Phone DN not associated with the user  
Answer: B  
Explanation: The error message shown in Jabber is "Cannot communicate with the server" which points us to a connectivity issue with IP/DNS or the server is down. All other answer choices would result in a login failure, not communication error.  
QUESTION 13  
Use the exhibits below to answer the question.  
Refer to the exhibits  
Which configuration option, in the device configuration page, will allow an administrator to assign a device to a group of like devices?





A. Media Resource Group ListB. Device PoolC. LocationD. AAR Calling Search SpaceE. Calling Search Space Answer: B  
Explanation: Use device pools to define sets of common characteristics for devices. The device characteristics you can specify for a device pool are:- Region Date/time group- Cisco CallManager group- Calling search space for auto-registration QUESTION 14  
Which three locations can an administrator import from to create users on Cisco Unity Connection? (Choose three.) A. Bulk administration toolB. LDAPC. Cisco Unified Communications Manager via AXLD. OutlookE. PresenceF. Cisco Compatible Extensions Answer: ABC QUESTION 15  
Which option can an administrator use to add users to Cisco Unity Connection in different time zones? A. User TemplatesB. Call Handler TemplateC. Contact TemplateD. Directory HandlerE. Interview Handler Answer: A QUESTION 16  
A user is assigned more than one directory number. Which option allows one voicemail box to serve both directory numbers? A. Alternate ExtensionB. Notification DevicesC. Alternate NamesD. Message SettingsE. Caller InputF. Mailbox Answer: A QUESTION 17  
Which component is needed to facilitate the connection between Cisco Unified Communications Manager and Cisco Unified Presence Server? A. SIP trunkB. H.323 gatewayC. GatekeeperD. MGCP gatewayE. Cisco Unified Border Element Answer: A QUESTION 18  
A technician is preparing to activate the needed services in Cisco Unified Communications Manager to integrate with an IM and Presence server. Which four services must be enabled? (Choose four.) A. Cisco TFTPB. Cisco AXL Web ServiceC. Cisco CTI ManagerD. Cisco Messaging InterfaceE. Cisco Intercluster Lookup ServiceF. Cisco Extended FunctionsG. Cisco Unified Communications ManagerH. Cisco Directory Sync Answer: ABCG QUESTION 19  
An administrator wants to gauge the load and performance capacity of Cisco Unified Communication Manager devices, including conference bridges, gateways, and trunks. Which report would the administrator run? A. CARB. CDRC. SIPD. RTMTE. CUBE Answer: A QUESTION 20  
Which option would an administrator use to find all unassigned directory numbers in Cisco Unified Communications Manager? A. Route plan reportB. CDRC. CARD. Cisco Reporting ToolE. Directory number lookup Answer: A !!!Recommend!!!  
2016 Valid Braindump2go 210-060 Exam PDF and VCE 165Q&As Dumps Instant Download: <http://www.braindump2go.com/210-060.html> [100% Exam Pass Guaranteed!] [Google Drive](#): <https://drive.google.com/folderview?id=0B272WrTALRHcQ1doRkVIVmppaUU&usp=sharing> 2.210-060 CICD Dumps and 210-060 CICD Exam Questions 165Q&As: <https://drive.google.com/folderview?id=0B272WrTALRHcRXFSM1hyOFIwUTQ&usp=sharing>